Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

6261

1871.

Established in 1824.

HORTICULTURAL SOCIETY
BOSTON.

ANNUAL

Descriptive Catalogue

OF

Kitchen Garden,

OR

VEGETABLE SEEDS,

Etc., etc.,

FOR SALE BY

Alfred Bridgeman & Son,

Growers, Importers and Dealers

IN ALL STANDARD

VEGETABLE, GRASS, HERB,

AND

FLOWER SEEDS.

GARDEN TOOLS AND HORTICULTURAL BOOKS.

876 BROADWAY, 2d door above 18th St.

NEW YORK.

Charles Vogt, Printer, 204 Fulton St., New York.

COLLECTIONS OF

KITCHEN GARDEN SEEDS.

STANDARD SORTS *for Family Use, in quantities to suit Small or large Gardens.*		*No. 1,* $5.	*No. 2,* $10.	*No. 3,* $18.	*No. 4,* $25.
Beans	Early Valentine	1 pt.	1 pt.	1 qt.	2 qts.
"	Refugee	½ pt.	1 pt.	1 qt.	2 qts.
"	Horticultural Pole		½ pt.	1 pt.	1 qt.
"	Large White Lima	½ pt.	1 pt.	1 qt.	1 qt.
Beet	Extra Early Turnip	1 oz.	2 oz.	4 oz.	8 oz.
"	Early Blood Turnip	1 oz.	4 oz.	8 oz.	8 oz.
Cabbage	Early Ox Heart		⅛ oz.	½ oz.	½ oz.
"	Early Winningstadt	⅛ oz.	⅛ oz.	¼ oz.	½ oz.
"	Large Late Drumhead	¼ oz.	¼ oz.	½ oz.	1 oz.
"	Drumhead Savoy	¼ oz.	¼ oz.	¼ oz.	½ oz.
"	Red, or Pickling		¼ oz.	¼ oz.	½ oz.
Cauliflower	Paris Nonpariel	pkt.	¼ oz.	¼ oz.	½ oz.
Carrot	Early Orange, or Horn	1 oz.	2 oz.	4 oz.	4 oz.
Cress	Curled, or Pepper Grass	1 oz.	2 oz.	4 oz.	4 oz.
Corn	Early Sugar	1 pt.	1 qt.	1 qt.	1 qt.
"	Large Sweet	1 pt.	1 qt.	2 qts.	2 qts.
"	Stowell's Evergreen		1 pt.	1 qt.	2 qts.
Celery	Early White Solid	¼ oz.	¼ oz.	¼ oz.	½ oz.
Cucumber	Early Russian	¼ oz.	½ oz.	½ oz.	1 oz.
"	Long Green	¼ oz.	½ oz.	1 oz.	1 oz.
Egg Plant	Improved N. Y. Purple		¼ oz.	½ oz.	½ oz.
Endive	Green Curled	¼ oz.	½ oz.	½ oz.	½ oz.
Kohlrabi	Early White Vienna		¼ oz.	½ oz.	½ oz.
Kale	Green Curled Scotch	⅛ oz.	⅛ oz.	½ oz.	½ oz.
Lettuce	Early Curled Silesia	¼ oz.	¼ oz.	½ oz.	½ oz.
"	Large Butter Head	¼ oz.	¼ oz.	½ oz.	1 oz.
Leek	Large Flag	1-6 oz.	1-6 oz.	1 oz.	1 oz.
Melon	Early Jenny Lind	1-6 oz.	½ oz.	½ oz.	½ oz.
"	Netted Citron	¼ oz.	½ oz.	1 oz.	1 oz.
"	Mountain Sweet Water	½ oz.	1 oz.	2 oz.	2 oz.
Onion	Extra Early Red	pkt.	½ oz.	1 oz.	2 oz.
"	White Portugal	pkt.	½ oz.	1 oz.	2 oz.
"	Yellow Danvers		1 oz.	1 oz.	2 oz
Okra	Dwarf Green	1 oz.	2 oz.	4 oz.	4 oz.
Peas	Carter's "First Crop"		1 pt.	1 qt.	2 qts.
"	Early D. O'Rourke	1 pt.	1 pt.	1 qt.	2 qts.
"	McLean's Advancer		1 qt.	2 qts.	2 qts.
"	Eugenie, or Alliance	1 pt.	1 qt.	2 qts.	3 qts.
"	Champion of England	1 pt.	1 qt.	2 qts.	4 qts.
Parsley	Extra Curled	⅛ oz.	⅛ oz.	1 oz.	1 oz.
Pepper	Large Bell	¼ oz.	¼ oz.	½ oz.	½ oz.
"	Sweet Mountain		¼ oz.	¼ oz.	¼ oz.
Parsnip	Cup, or Guernsey	1 oz.	1 oz.	4 oz.	8 oz.
Radish	Long Scarlet	½ oz.	1 oz.	2 oz.	4 oz.
"	Red Turnip, or Cherry	1 oz.	1 oz.	4 oz.	8 oz.
"	Yellow Turnip		1 oz.	2 oz.	4 oz.
"	Black Spanish	⅛ oz.	⅛ oz.	1 oz.	2 oz.
Salsify	Long White		1 oz.	4 oz.	4 oz.
Squash	Early Bush	½ oz.	½ oz.	1 oz.	2 oz.
"	Hubbard Winter	½ oz.	½ oz.	1 oz.	1 oz.
Spinach	Round Leaved	4 oz.	4 oz.	8 oz.	1 lb.
Tomato	Early Red Smooth	1-6 oz.	1-6 oz.	½ oz.	½ oz.
"	Fejee Island	1-6 oz.	1-6 oz.	½ oz.	½ oz.
Turnip	White Dutch		1 oz.	2 oz.	4 oz.
"	Yellow Aberdeen	¼ oz	½ oz.	1 oz.	2 oz.
"	Long White French	1 oz.	1 oz.	1 oz.	2 oz
Herbs	(Four Sorts)		1 of each	1 of each	1 of each

PREFACE.

The senior proprietor has been associated with this establishment as one of its principals for upwards of thirty years. He will continue to be *stock provider* of the firm, and feels confidence in his ability to select from the general catalogue of seeds such species and varieties as are really worthy of cultivation, to the exclusion of all the various sorts that are not adapted to our climate, but which are too frequently recommended and sold by seedsmen and venders, to the serious loss and disappointment of their customers.

As the business is pursued with a view to a permanent establishment, great care will be taken to preserve an unsullied reputation, by having supplies of various seeds raised annually by careful growers, from roots, or seeds selected by the proprietors, and in no case will they run the risk of offering seeds of an uncertain and varied quality by purchasing of transient persons, nor will they introduce any new imported varieties until they have been fully tested here, however well they may have succeeded in other countries.

The observance of such a system may be considered as a guarantee that no seeds will be offered but such as are known to possess the most essential good qualities for general purposes.

To aid the amateur and others in making selections, some of the leading and most desirable kinds are marked thus,*.

The proprietors can here only enumerate the leading articles in their collection; and from a conviction that the seedsman's fair reputation is often unjustly defamed through failure of seeds, they would with brevity state some of the causes.

1st. That some cultivators, through ignorance or forgetfulness of the fact that the products of a garden are natives of various soils and climates, and require peculiar management, deposit their seeds in the ground at an improper season.

To aid such, the most tender species, which should not be placed in the open ground until settled warm weather, are marked thus, †.

The half-hardy, which are subject to risk, if sown when frosts prevail, are marked thus, ‡.

The early and most hardy species and varieties should not be planted until the ground can be brought into good condition, as some species of plants, that in an advanced state of growth will stand a hard winter, are often cut off by a very slight frost while young, especially if exposed to the heat of the sun after a frosty night. To guard against disappointment, reserve some of the seed for a later sowing.

2nd. That some species of seeds, such as Beans, Beet, Cabbage, Lettuce, Radish, Salsify, Turnip, etc., being from their nature apt to vegetate quickly, are often

liable to be devoured by insects within forty-eight hours after they are sown, and before a plant is seen above ground, unless a suitable remedy is applied in time to destroy them.

3rd. That some species, such as Carrot, Celery, Leek, Onion, Parsley, Parsnip, Spinach, etc., being naturally of tardy growth—taking (in unfavorable seasons) from two to four weeks to vegetate—are apt to perish through incrustation of the soil, or other circumstances, which cannot always be controlled.

4th. That failures often occur through seed being deposited too deep in the ground, or left too near the surface; sometimes for want of sufficient seed in a given spot, solitary plants perish, for want of strength to open the pores of the earth; and very often injudicious management in manuring and preparing the soil will cause failure.

In sowing of seed, remember, that in *unity there is strength*, and from the germinative parts of a seed being weak and diminutive, it cannot be expected to perforate through the soil solitary and alone.

To insure a fair chance, plant your seed moderately thick, and thin out the surplus plants while young.

In planting seeds in drills, which is the most desirable plan, the size of the seed and strength of its germ should be considered; large seed producing vigorous roots require deeper planting than diminutive seed producing delicate roots and slender stalks; the smallest kind of seed should not be covered more than a quarter of an inch deep.

For instructions on these and other subjects of gardening, the reader is referred to BRIDGEMAN'S book on Gardening, and other works by celebrated Authors.

The following catalogues are published annually, and mailed free to all applicants:

Catalogue of Vegetable, Grass, Herb and Miscellaneous Seeds, with brief directions for their culture and treatment, including a list of Horticultural Books, embodying instructions for the Orchard, Vegetable and Flower Garden, Greenhouse, Grapery, &c.; also, a full assortment of Horticultural Tools. Ready in January.

Catalogue of Flower Seeds, giving the hardiness and duration of each, color of the flowers, average height when in bloom, and general directions for preparing the soil, time and mode of sowing the seed, etc. Ready in February.

Market Gardener's Price List of Vegetable Seeds. Ready in January.

It is requested that explicit directions for marking and forwarding packages accompany each order. All goods will be legibly marked as directed, and delivered to vessels in port, Railroad and Express Offices in the City of New York, free of expense. After shipment they will be at the risk of the purchaser.

Annual Catalogue

—OF—

Vegetable Seeds.

☞ For the accommodation of very small growers, those seeds priced by the Ounce, or Quart, at Thirty Cents and under, may be had put up in Five Cent papers. Seeds priced per Ounce or Quart above Thirty Cents, may be had put up in papers, costing not less than Ten Cents.

☞ The names printed in Roman are identically the same, or similar varieties to those immediately preceding, printed in **heavy faced type.**

☞ *For price list by the pound, bushel or barrel, see pages* 18, 19 *and* 20.

‡ ARTICHOKE.

Artichaut—Artischoke—Alcachofa.

	℔ oz. cts.
French or Green Globe	40

Sow early in Spring ; transplant in deep, rich soil.

ASPARAGUS.

Asperge—Spargel—Esparrago.

Giant	℔ oz. 10 cts.	℔ lb. 60
Roots	℔ 100 $1,	℔ 1000 8.00
Conover's Colossal	℔ oz.	1.00
Roots, one year old	℔ 100	$3.00

Sow during the Spring, or plant roots in Spring or Autumn.

Beans.

(English Dwarf.)

Fève de marais—Puff bohnen—Haba.

	℔ qt. cts.
***Sword Long Pod** — Long Turkey.	30
***Broad Windsor**	30
Green Mazagan — English Horse Bean.	30

Sow as early as practicable in the Spring.

† BEANS.

(Dwarf or Snap.)

Haricots nains—Busch Bohnen—Frijoles.

	℔ qt. cts.
***Early Valentine** — Red Speckled.	30
***Long Yellow Six Weeks** — Early Rob Roy, or Flageolet (fine).	30
Round Yellow Six Weeks	30
Early Mohawk — Early Six Weeks.	30
Early Rachel — Quail's Head.	30
Early China Dwarf — Red-Eyed China.	30
***Newington Wonder** — Early Snap Short (fine).	30
***Refugee, or 1,000 to One** — Brown Speckled Valentine.	30
Red French, or Marrow	25
Large White Kidney — Royal Dwarf.	30
White Marrowfat — White Cranberry.	30
Black Wax (fine)	30
Dwarf Horticultural — Zebra, or Potawatamie [fine).	40
Turtle Soup — Black Spanish, or Negro.	25

Also other varieties, sow from the middle of April to August for successional crops.

† BEANS.

(Pole or Running Beans.)

Haricots à rame—Stangen Bohnen—Frijole de bejuco.

	℔ qt.	cts.
*Large White Lima. Butter Beans.		50
*London Horticultural. Speckled Cranberry. Wren's Egg, or Prague.		40
Red Cranberry		40
White Cranberry		50
Small White Lima. Carolina, Saba, Sewee or Silva.		50
Early Dutch Case Knife		40
*Red Giant Wax		80
*Indian Chief (fine). Black German Wax or Algerian.		60
French Asparagus (new)		1.00
White Dutch Runners		50
Scarlet Flowering		50
Speckled Lima	℔ pkt.	25
New Blue Podded Runners		25
Asparagus, or yard long	℔ pkt.	25

Sow from the middle of May to July, in hills about four feet apart each way.

‡ Beet.

Betterave—Rothe, odor Runkelrueben.

	℔ oz.	cts.
*Extra Early Turnip. Early Bassano—Sugar, or Simon's.		15
*Early Blood Turnip		15
*Long Dark Blood		15
Long Smooth Blood. Rochester, or Radish.		15
Half Long Blood		20
Yellow Turnip. Early Orange.		15
Pine Apple		20
Swiss Chard or Silver. Sea Kale Beet, for greens.		15
New Red Egyptian		30
White French Sugar	℔ lb.	60
Long Red Mangel Wurzel. White Silesian, or Field.	℔ lb.	60
*Yellow Globe Mangel do. Scarcity, or Cattle Beet.	"	60

Sow in April for early, May and June for Winter use, in drills about two inches deep, and sixteen inches apart.

‡ BROCOLI.

Chou Brocoli—Spargel Kohl—Broculi.

	℔ oz.	cts.
*Early Purple Cape		60
*Carter's Dwarf Champion		75
*White Cape. Cauliflower Brocoli.		75
Early Walcheren (true)		75
Covent Garden		50
Chappel's Cream		40

Sow in May and June, transplant in July, in rows about two feet apart each way.

Burnet.

Pimpernelle—Pimpinell—Pimpinela

	℔ oz.	cts.
Garden		20

Sow in rows early in Spring.

‡ BRUSSELS SPROUTS.

Chou de Bruxelles—Rosenkohl—Breton de Bruselas.

	℔ oz.	cts.
Improved Dwarf. Tree, or Miniature Cabbage.		40
Dalmeny Sprouts (new)	℔ pkt.	25

Sow in May, transplant in July. Cultivate same as Cabbage.

‡CHERVIL.

Cerfeuil—Kerbel—Perrifollo.

	℔ oz.	cts.
*Curled or Double		20
Tuberous Rooted		20

Sow Early in Spring, and at short intervals.

‡ CRESS.

Cressan—Kresse—Mastuerzo.

	℔ oz.	cts.
*Curled or Pepper Grass		10
Broad-Leaved		10
True Water Cress		50

Sow at short intervals—Spring and Autumn.

CORN SALAD or FETTICUS.

Mache, Fr.—Ackersalat, Ger.—Canonigos.

	℘ oz.	cts.
Large Round Leaved		15
Round Leaved Large Seeded.		15

Sow in August and September, and manage same as Spinach.

CARROT.

Carote—Moehren—Zanahorias.

	℘ oz.	cts.
***Extra Early Forcing**		20
Orange Turnip-rooted.		
***Early Orange, or Horn**		15
Half Long Red		15
***Long Orange, or Red** (fine)		15
Long Scarlet, or Surry.		
Long Altringham		15
Long White	℘ lb.	1 00
Large White Belgian.		

Sow in April for early; middle of June for Winter use, in drills about twelve inches apart.

† Cabbage.

Chou pomme, Fr.—Kopf-Kohl Ger.—Repollo, Span.

	℘ oz.	cts.
***King of Dwarf**		30
***Early York, or May**		20
Early Royal Dwarf.		
Early Little Pixie		40
***Early Ox Heart**...(true, fine)		30
French Large Heart-shaped.		
***Early Winningstadt**		40
Early Cone.		
N. J. Early Wakefield		50
Early Nonpareil.		
Large Early York		20
Dwarf Early Savoy		30
***Early Drumhead** (fine)		30
Early Dutch, or Battersea.		
St. John's Day Early Drumhead.		
***Large Late Drumhead** (fine)		30
Large Late Bergen		30
Great American.		
***Large Late Flat Dutch**		30
Premium Flat Dutch.		
***Late Drumhead Savoy**		40
***Large Red Drumhead**		40
Red Dutch, or Pickling		40
Marblehead Mammoth,	℘ pkt	25
Early Wyman, (true)	"	25
Feather Stem Savoy (new)	"	25

Sow the early varieties in protecting frames, in September, or hot-beds early in the Spring; sow late kinds from April to June; transplant in fresh rich ground.

† Cauliflower.

Chou-fleur—Blumenkohl—Coliflor.

	℘ oz	$ cts.
***Extra Early Paris**		1 50
Half-Early Paris-Nonpareil.		1 50
***Lenormand's** Short-Stemmed.		2 00
Early London		75
Large White French		1 00
Large Late Stadtholder		75
Large Late London		75
Large Asiatic		75
Large Late Walcheren		75
***Erfurt Earliest Dwarf,**	℘ pkt.	50
***Carter's Dwarf Mammoth**	"	25

Sow for early and late, same as Cabbage.

CARDOON.

Cardon—Cardonen—Cardo.

	℘ oz.	cts.
Large Solid		40

Sow early in Spring, and transplant in trenches of well manured ground.

† CUCUMBER.

Concombre—Gurken—Pepino.

	℘ oz.	cts.
***Early Russian**		20
***Early White Spined**		15
Early Short Green		15
Early Frame, or Table.		
Early Green Cluster		15
Early Short Prickly.		

		cts.
*Improved Long Green.	℔ oz.	20
Long white Spined.....	"	30
New Jersey Hybrid.		
Long Green Turkey.....	"	30
W. I. Gherkin or Burr...	"	30
English Gherkin.....	"	30
Gen. Grant; for forcing ..	℔ pkt	25
Also ten other long varieties, for forcing, each.....	℔ pkt	25

Sow for early, in hot beds, or frames. Open ground from the middle of May to August, for successional crops.

CELERY.

Celeri—Sellerie—Apio.

	℔ oz.	cts
*Early White Dwarf Solid..		40
Incomparable Dwarf. Boston Market.		
*Large White Solid.....		40
Improved Giant.		
Early Red Dwarf Solid.....		30
Dwarf Crimson. Rose Colored.		
Turnip Rooted Celery.....		30
Early Erfurt, Celeriac.		
*SandringhamDw'fWhite	℔pkt	25

Sow very early in Spring, in moist, rich ground when the plants are from four to six inches high: transplant into trenches four inches deep and nine wide and three feet from trench to trench. Set the plants six inches apart, in rows.

† Corn.

(For Garden Culture.)

Mais—Welschkorn—Maiz.

	℔ qt.	cts.
Early Dwarf Sugar.....		30
Dwarf Cedo Nulli.		
Crosby's Early Sugar.....		30
*Darling's Early Sugar.....		30
Farmer's Club Early Sweet.		40
*Large Sweet or Sugar.....		30
*Excelsior Mammoth Sugar.		30
Asylum Sweet. Burr's Mammoth Sweet.		
*Stowell's Evergreen Sugar.		30
Early Tuscarora.....		30
Early Flour.		
Early Burlington		30
York, or Adams, per ear 5 cents.		

Sow from the middle of May to July, for successional crops, in hills about three feet apart.

† CORN. (Indian.)

(For Field Culture)

	℔ 100 Ears, $	cts.
*Early White Flint.....	4	00
Sandford's Early White...	5	00
Eight Rowed Yellow Flint.	4	00
Prolific Golden Drop.....	4	00
Pop or Chicken..℔ qt.		25
Also other varieties for field culture.		

COLEWORT or COLLARDS.

Chou non pomme Blatterkohl—Breton.

	℔ oz.	cts.
English Hardy Green.....		20
English Rosette.....		20

Sow from May to July for succession.

† Egg Plant.

Melongène—Eier Pflanze—Berengena.

		cts.
*Early Long Purple....℔ oz.		40
*Improved N.Y. Purple	"	60
Large Oval Purple.		
Long White Chinese....℔ pkt		10
Scarlet Chinese.....	"	10
Striped, or Guadeloupe.	"	10
White, for ornament.....	"	10
Black Pekin (new)... ...	"	10

Sow in hot-bed or under glass, early in Spring; about the end of May transplant to the open ground.

‡ ENDIVE.

Chicorèe—Endivien—Chicoria.

	℔ oz.	cts.
*Green Curled (fine).....		30
White Curled.....		30
Broad Leaved.....		30
Batavian, or Escarolle.		
Wild, for flavoring Coffee.....		10
Chicory, or Succory, per lb 75 cts.		

Sow from April to July, for succession; transplant in rich ground, manage same as Lettuce.

GARLIC.

Ail--Knoblauch—Ajo.

	℔ lb.	cts.
Garlic Sets.....		30

Plant early in Spring, in rows ten inches apart and two inches deep.

‡ KALE, or BORECOLE.

Chou—vert frisè, Fr.—Kohl, Ger.—Berza.

		cts.
*Green Curled Scotch	℔ oz.	15
Brown Curled German	"	15
Dwarf Purple.		
*Curled Siberian	"	15
Hardy German Greens.		
Sea Kale (Chou Marin)	"	40
Spring Sprouts (for Greens)	℔ qt.	40
Improved Garnishing	℔ pkt.	10

Sow Spring Sprouts during March and April, Sow Curled Siberian Kale during September and October; manage same as Spinach. Sow all other kinds from April to June; manage same as Cabbage.

‡ KOHL-RABI.

Chou-Rave—Colinabo.

TURNIP-ROOTED CABBAGE.

	℔ oz.	cts.
Early White Vienna		40
Early Purple Vienna		40

Sow from March to June, for transplanting in succession.

LEEK.

Poireau--Lauch—Paerro.

	℔ oz.	cts.
*Large Flag, or Scotch		40
Giant Castle (extra large)		40

Sow from March to May; transplant in rich ground.

‡ Lettuce.

Laitue—Kopf Salat—Lechuga.

	℔ oz.	cts.
Early White Forcing		40
*Simpson's Curled Silesia		40
Early Cut Salad.		
*Early Tennisball		40
Early Boston Curled.		
Large Curled India		40
*Large Butter (extra fine)		40
Turkish Cabbage, or Russian.		
*Perpignan Head (fine)		40
*Asiatic Cabbage		50
Saxony Cabbage, (extra fine.)		
*Ice Drumhead (fine)		20
Royal Cabbage, or Malta.		
*White Summer Cabbage		30
Stone Cabbage, or White Butter.		
Mammoth Cabbage		50
Loco Foco.		
Wheeler's Tom Thumb		50
Royal Imperial Head		40
Grand Admiral.		
Improved Frankford Head		50
*Victoria Cabbage (fine)		30
Red edged Cabbage.		
Neapolitan Curled Cabbage		40
Brown Dutch Cabbage		30
*Hardy Green		40
Winter, or Hammersmith.		
White Paris, or Ice Cos		40
Green Paris Cos		40
All the Year Round	℔ pkt.	25

Sow for early, in hot-beds, open ground April to July, for succession; transplant in very rich ground. Sow Hardy kinds in September.

† MARTYNIA, (for pickles.)

	℔ oz.	cts.
Craniolaria		30
Proboscidea		30

Sow in May in open ground, three feet apart each way.

† Musk Melon.

Muscade—Melonen—Melon Muscatel.

	℔ oz.	cts.
*Early Jenny Lind		15
*Early White Japan (fine)		30
Early Orange Christina		20
Pine Apple (fine)		20
*Allen's Superb (very fine)		20
*Persian, or Odessa		15
Orange or Cassabar.		
*Green Citron		15
Large Nutmeg		15
Canteloupe.		
Skillman's Netted		20
Golden Orange (fine)	℔ pkt.	25
Pomegranate (for perfume)	"	10
Queen Anne Pocket Melon.		
Mango Melon (for Mangoes)	"	10

Sow in frames for early; open ground, May and June, in hills six feet apart each way.

† WATER MELON.

Melon d'Eau—Wassermelone—Sandia.

	℔ oz.	cts.
*Early Mountain Sweet. Ice Cream (very fine.)		15
Bradford (superb). White Seeded Ice Cream.		40
Goodwin's Imperial. Hyde Park		30
*Black Spanish		15
*Early Mountain Sprout. Long Carolina.		15
Orange (fine)		40
Apple Pie, Citron Melon		20
Citron, for Preserves		20

Sow in frames for early; open ground, May and June, in hills eight feet apart each way.

MUSHROOM.

Champignon—Chamignonbrut—Seta.

	℔ lb	cts
English Spawn		16
French, in boxes of 3 lbs each.		$1 25

Mustard.

℔ qt. 40 cts.

Moutarde—Senf—Mostaza.

	℔ oz.	cts
*White or Yellow		5
Black or Brown		5

Sow at intervals—Spring and Autumn.

‡ NASTURTIUM.

Capucine—Kapuziner—Maranuela.

	℔ oz.	cts.
*Tall (Indian Cress)		20
Dwarf, "		30

Sow in May and June, in drills an inch deep.

† OKRA.

Gombo—Quimbombo—Hibiscus.

	℔ oz.	cts.
*Improved Dwarf Green		10
Long Green		10

Sow after the middle of May, or early in June, in rich ground, in drills about an inch deep and three feet apart; thin out to eight inches.

ONION.

Ognon—Zwiebeln—Cebolla.

	℔ oz.	cts.
*Early Red		30
Large Red. Whethersfield Red.		30
*White Portugal. New England White Early Silver Skinned.		40
Large Yellow Dutch. Yellow Strasburg.		30
*Yellow Danvers		30
Yellow Oval, or Globe		40
Potato Onions	℔ qt.	25
Onion Sets		40
Top, or Button Onions	"	25

Sow in rich ground early in Spring, in drills one foot apart, and thin to two inches apart.

PARSLEY.

Persil—Petersilie—Peregil.

	℔ oz.	cts.
*Curled, or Double (fine)		15
Plain, or Single		10
Hamburg, or Rooted		10

Sow from March to June, in drills an inch deep and one foot apart.

PARSNIP.

Panais—Pastinake—Pastinaca.

	℔ oz.	cts.
*Long White, or Guernsey. Hollow Crowned, or Sugar.		15
Sutton's Student		15

Sow from March to June, in deep rich ground; in drills one inch deep and fifteen inches apart; thin out to six inches apart.

† PEPPER.

Piment—Pfeffer—Pimiento.

	℔ oz.	cts.
Large Bull Nose, or Bell		40
Squash, or Tomato		40
*Sweet Spanish, for Salad		50
Sweet Mountain, for Mangoes. Sweet Mammoth.		50
Red Cherry		40
Small Chili		50
Long Red Cayenne		40

Sow in hot-beds, in February and March; open ground, May and June, transplant to eighteen inches apart each way.

POTATOES.

Pomme de Terre—Kartoffel—Patata.

	℔ bush.	$ cts.
King of the Early, or Bresee's No. 4	(about)	4 00
***Early Rose**	"	2 50
Early Mohawk	"	2 50
***Early Goodrich**	"	2 00
Early Dykeman	"	2 00
Early Excelsior.		
Early Sebec, or Boston	"	2 50
Peerless, or Bresee's No. 6	"	4 00
Bresee's Prolific	"	2 50
Gleason (fine)	"	2 00
Harrison (Prolific)	"	2 00
White Peach Blow	"	2 00
Prairie Seeding.		
Also other varieties.		

Peas.

Pois—Erbsen—Guizantes—Chicaros

EXTRA EARLY.

	ft.	℔ qt.	cts.
***Carter's First Crop**	2½		40
Sutton's Ringleader.			
***Daniel O'Rourke**	2½	"	30
Sangster's No. 1.			
Philad'phia Extra Early	2½	"	40
Cedo Nulli (fine)	3	"	40
Prince Albert	2½	"	30
Princess.			
***McLean's Advancer**	2½	"	40
Tom Thumb (Amer)	8 inch		50
Allen's Dwarf.			
***McLean's Little Gem**	1	"	50
Improved Emperor	3	"	30
Morning Star, or Charlton.			
Laxton's Alpha	3	"	2 50

EARLY.

***Princess Royal** (fine.)	1½	"	30
***Kent, or Canada**	2½	"	30
Long Island, or May.			
***Rising Sun**	3	"	50
Prize Taker.			
Early Strawberry	1¼	"	40
Bishop's Dwarf Prolific.			
***Fairbeard's Surprise**	4	"	50
Bishop's Long Pod	1½	"	40
Laxton's Prolific	4	"	75
Laxton's Supreme	3½	"	1 00

LATER VARIETIES.

	ft.	℔ qt.	cts.
***Champion of England** (fine)	5		40
***Eugenie** (fine)	3	"	40
Alliance.			
***Napoleon** (fine)	3	"	40
Climax.			
***Hair's Dwarf Green Marrow** (fine)	2½	"	50
Blue Imperial	2½	"	25
Imperial Marrow.			
White Marrowfat	4	"	20
Black Eyed Marrow	3	"	20
Peruvian Marrow.			
British Queen	6	"	50
Tall Mammoth Marrow.			
Champion of Scotland	6	"	50
Knight's Tall Mammoth.	6	"	60
King of Marrow.			
Paradise Marrow	3½	"	40
Champion of Paris.			
Epp's Lord Raglan	3	"	50
Knight's Dwarf Marrow (fine)	3	"	50
Queen of Dwarf	1¼	"	40
Beck's Gem.			
Harrison's Glory	3	"	40
Harrison's Perfection	3	"	40
Competitor (fine)	5	"	50
Epp's Monarch.			
McLean's Wonderful	2	"	75
McLean's Epicurean	2	"	75
McLean's Premier	3½	"	75
Dwarf Waterloo (new)	1¼	"	75
Tall Sugar (edible pod)	5	"	60
Dwarf Sugar (edible pod)	3	"	50
Sickle Peas.			

Sow for early use as early in Spring as practicable, and for succession, every two or three weeks until August. Plant in single or double rows, four feet apart and two inches deep.

† PUMPKIN.

Courge—Kuerbis—Calabaza.

		cts.
*Large Cheese, or Pie	℔ oz.	10
West India Mammoth	"	25
Large Tours (fine)	"	25
Cushaw (Crooked Neck)	"	10
Seven Year Pumpkin	℔ pkt.	25
Connecticut Field	℔ qt.	40

Sow in May or June, in hills six by eight feet apart.

Rhubarb.

Rhubarbe—Rhabarber—Ruibarbo.

	℔ oz.	cts.
Myatt's Victoria		30
Linnæus		30

Pie Plant—Wine Plant.

Roots 25 to 50 cents each.

Sow seed, or plant roots, in rich ground, during April or May.

‡ RADISH.

Radis—Rettig—Rabanos.

	℔ oz.	cts.
*Long Scarlet Short Top		10
Early Frame (Woods) Long Salmon.		
*Early Scarlet Turnip (fine)		10
Red Turnip or Cherry.		
*Early Scarlet, Olive Shaped		15
*French Breakfast (fine)		15
Red Olive Shaped, white tipped.		
Early White, Olive Shaped		15
*Golden Globe		15
Yellow Summer Turnip		15
Grey Summer Turnip		15
*White Summer Turnip		15
Purple Summer Turnip		15
Long White Naples		15
*Round Black Spanish		15
White Spanish, or Fall		15
*Scarlet Chinese Winter		20
Lady Finger.		
Raphanus Caudatus, or edible podded Radish	℔ pkt.	10

Sow for successional crops, at short intervals, from March to September, in drills an inch deep and a foot apart.

‡ SAGE.

Per oz. 30 cents.

Sauge—Salbei—Salvia.

Sow in Spring.

SALSIFY, or VEGETABLE OYSTER.

Salsifis—Haferwurzel—Salsafi.

	℔ oz.	cts.
Long White		40
Scolymus (Salsify sp.)	℔ pkt.	25

Sow from April to June, in drills twelve inches apart, and thin out to six inches apart in rows.

SCORZONERA.

Scorsonere—Scorzionerwurzel—Escorzonera.

	℔ oz.	cts.
Black Salsify		25

Sow from April to June.

SKIRRET.

Per oz. 25 cents.

Chervis—Zuckerwurzel—Chirivia.

Sow from April to June.

Spinach.

Per lb. 60 cents.

Épinard—Spinat—Espinaca.

	℔ oz.	cts.
*Round Leaved		10
*Round Leaved Flanders		10
*Prickly Leaved		10
Savoy Leaved		10
Lettuce Leaved.		
Holland or Orach		15
New Zealand (Summer)		20

Sow early in the Spring in very rich ground. Also during September and October for Winter use, in drills twelve inches apart, and half an inch deep.

SORREL.

Oseille—Sauerampfer—Acedara.

	℔ oz.	cts.
*Large Leaved French		15
Garden Patience Dock		30

Sow during the Spring.

SAVORY.

Sarriette—Bohnenkraut—Agederea.

	℔ oz.	cts.
*Summer		30
Winter		30

† Squash.

Giraumon—Kuechenkuerbis—Calabaza.

	℔ oz.	cts.
*Early White Bush Scollop or Patty Pan.		10
*Early Striped Bush (fine) Green Striped Bergen.		10
*Early Golden Bush		10
Summer Crookneck Bush		10
Early Egg or Apple		20
Boston Marrow Autumnal Marrow.		15
*Hubbard		20
*Winter Crookneck		10
Japan, or Yokohama		30
Lima Cocoanut Valparaiso, or Acorn.		20
Striped Porter Bell Pumpkin.		20
Sweet Potatoe		20
Polk, (Winter) Para Crookneck.		30
Honolulu Nectarine		30
French Turban (fine) Turk's Head.		30
Patagonian	℔ pkt.	25
	Seven Year's Custard, or Butter.	
White Leghorn	"	25
Mammoth Chili	"	25
English Vegetable Marrow	℔ oz.	25

Sow in hills, from the middle of April till the last of June, Bush kinds about four feet apart, other kinds eight feet apart.

SWEET MARJORAM.

Per oz. 50 cents.

Marjolaine—Marjoran—Mejarana.

Sow during the Spring.

† TOMATO, or LOVE APPLE.

Tomate—Liebesapfel—Tomates.

	℔ oz.	cts.
Early Red, or York		30
*Early Large Red Smooth Cook's Favorite.		30
Early Red Cedar Hill		40
*General Grant		40
Tilden's Large Red Smooth		30
Key's Early Prolific		30
*Fejee Island Red (fine) Lester's Perfected.		40
Large Yellow Rough		40
Red Pear Shaped, or Fig		40
Yellow Plum		40
Red Cherry, or Grape		50
Yellow Cherry		50
Currant Tomato	℔ pkt.	25
*The Trophy (true)	"	25
De Laye, or Tree	"	10
Strawberry, or Winter Cherry Physalis Alkekengi.	"	10

Sow in hot-beds for early; open ground, April and May, transplant in rows three to four feet apart.

THYME.

Thym—Thyman—Tomillo.

	℔ oz.	cts.
*English or German		50
French (Small Leaved)		50

Sow during the Spring.

‡ Turnip.

Per lb. 75 cents.

Navet, Fr.—Ruben, Ger.—Nabo, Span.

	℔ oz.	cts.
*Early Dutch Strap Leaved White Flat Dutch.		10
Early White Stone Early Snowball, or Six Weeks.		10
Early Yellow Teltow Small Berlin, or Marrow.		20

	℔ oz.	cts.
*Red Top Strap Leaved. Red, or Purple Top.		10
*Yellow Stone		10
Yellow Aberdeen. Scotch Yellow.		10
Robson's Golden Ball		10
*Long White French. Hanover or Prussian. White Ruta Baga.		10
*Improved Ruta Baga. Sweet Russian, or German.		10
*Purple Top Ruta Baga. Yellow Swedish.		10
Large White Globe	℔ lb.	60
Long White or Cow Horn	"	60

Sow for early in April; for main crop, July and August. Sow Ruta Baga in July, in drills fifteen inches apart, thin out to six inches.

Pot, Sweet Medicinal Herbs, Seeds, &c.

℔ pkt., 5 to 10 cts.

	℔ oz.	cts.
Angelica		15
Anise		15
Borage		20
Burdock		40
Balm		50
Bene (for Dysentery)		30
Boneset		80
Caper	℔ pkt.	10
Coriander	℔ oz.	15
Castor Oil Beans	"	5
Carraway	"	15
Catnep	"	60
Cumin	"	25
Dandelion	"	40
Dill	"	15
Elecampane	"	60
Fenugreek	"	10
Henbane	"	50
Horehound	"	$1 00
Hysop	"	40

	℔ oz.	cts.
Lavender		40
Pennyroyal		75
Pot Marigold		40
Purslane		25
Roquette		50
Rampion		50
Rue		40
Rosemary		50
Saffron		15
Common Sage		30
Red Sage (Clary)		50
Scurvy Grass		50
Summer Savory		30
Sweet Marjoram		50
Sweet Fennel		15
Sweet Basil		50
Tansy		$2 00
Thyme (English)		50
Winter Savory		30
Wormwood		50

Sow during the Spring.

GRASS SEED.

		$	cts.
Timothy (market price) Phleum pratense.	℔ bus.		
Creeping Bent Grass. Agrostis stolonifera.	"	4	50
Red Top, or Herd's Grass. Agrostis vulgaris.	"	1	50
Rhode Island Bent Grass. Agrostis vulgaris var.	"	3	00
Sweet Vernal Grass. Anthoxanthum odoratam.	℔ lb.		50
Meadow Fox-tail Grass. Alopecurus pratensis.	"		50
Tall Meadow Oat Grass. Avena elatior.	℔ bus.	4	50
Crested Dogstail Grass. Cynosurus cristatus.	℔ lb.		60
Orchard Grass (14 lbs.). Dactylis glomerata.	℔ bus.	2	50
Hard Fescue Grass. Festuca duriuscula.	℔ lb.		30
Sheep's Fescue Grass. Festuca ovina.	"		30
Slender Fescue Grass. Festuca tenuifolia.	"		50

		$ cts.
Meadow Soft Grass, Holcus lanatus.	℔ bus.	4 50
Italian Rye Grass, Lolium Italicum.	"	4 00
English Rye Grass, Lolium perenne.	"	3 50
Rough Stalked Meadow Grass, Poa trivialis.	℔ lb.	60
Wood Meadow Grass, Poa nemoralis.	"	60
Water Meadow Grass, Poa aquatica.	"	75
Fowl Meadow, or Duck Grass, Poa sylvestris.	℔ bus.	4 50
Kentucky Blue, Poa pratensis.	(14 lbs.)	2 50
Kentucky Blue, Extra clean	(14 lbs.)	3 50
Extra Fine Mixed Lawn Grass	℔ bus.	4 00
Central Park Lawn	do. "	5 00

CLOVERS.

	℔ lb. cts
Red Clover, about	20
White Clover "	60
Scarlet Clover	60
Yellow Clover, or Trefoil	60
Lucerne, or French Clover	50
Alsyke Clover, or Swedish	75
Bokhara Clover	75

BIRD SEEDS.

			cts.
Canary	about	℔ qt.	25
Hemp	"	"	20
White Millett	"	"	30
Yellow Millet	"	"	20
English Rape	"	"	30
German Rape	about	℔ lb.	25
Yellow Bird	"	℔ qt.	20
Rough Rice	"	"	25
Maw, or Poppy		℔ lb.	30
Mocking Bird Food		℔ pkge.	50
Bird Gravel		"	10

MISCELLANEOUS.

		$ cts.
Chinese Sugar Cane (Imported)	℔ lb	25
Flax Seed	℔ qt.	25
Havana Tobacco	℔ oz.	75
Seed Leaf Tobacco	"	40
Latakia Tobacco	℔ pkt.	25
Broom Corn	℔ qt.	30
Sunflower	"	50
Yellow Locust	℔ lb.	1 00
Honey Locust	"	75
Osage Orange	"	75
Pear Seed	"	3 00
Soup Celery	"	1 00
Vetches, or Tares	℔ qt.	25
Whale Oil Soap	℔ lb.	16
Jaques' Tobacco Soap	"	50
Grafting Wax	"	40
Tree Varnish	℔ bottle	25
Russia Mats (large)	each	1 00
Cuba Bast (for tying)	℔ lb.	1 00
Japan Flax, or Fibre (for tying)	"	1 00
Gishurst Compound	℔ box	75
Round Scythe Stones, each		25
IndelibleGarden Pencils	"	50
Lead Wire	℔ lb.	25

Tree, Shrub and Fruit Seeds supplied to order.

No. 1 Hand Mower, (cuts 14 inches)	Price	$25 00
Hand Cultivator and Seed Sower	Price complete	18 00
As Weeder and Cultivator	Price	9 00

Horticultural Implements, &c.

		$ cts.		$ cts.
Grass Edging Shears, with and without wheels	from	3 00	to	5 00
Hedge, or Box Shears	"	2 00	"	4 50
Ladies' Wood-handled Garden Shears	"	2 00	"	2 25
Grass Border Shears	"	4 00	"	5 00
Garden Reels with Lines	"	1 25	"	2 50
Flower Gatherers, to cut and hold	"	1 50	"	2 50
Vine, or Grape Scissors	"	1 00	"	2 50
Hand Pruning Shears, various sizes and patterns	"	75	"	4 00
English Bow Slide Pruning Shears	"	3 00	"	4 00
Transplanting, or Garden Trowels	"	40	"	1 25
Transplanting, or Garden Plies	"	75	"	1 25
Socket Brush Hooks	"	1 50	"	2 50
Wrought Iron English Rakes	"	50	"	1 75
Cut Steel Rakes	"	75	"	2 00
Improved Push, or Dutch Hoes	"	40	"	2 00
Lord Vernon Hoes	"	1 00	"	1 25
English Lawn Rakes	"	3 00	"	4 00
Triangular Hoes, or Tree Scrapers	"	40	"	1 00
Draw or Garden Hoes	"	60	"	1 00
Green House Syringes	"	1 50	"	15 00
English Pruning Saws	"	1 50	"	3 50
Improved Hatchets and Hammers	"	1 00	"	4 00
English Grass Hooks, or Sickels	"	75	"	1 25
Daisy Grubs, or Hooks	"	75	"	1 00
English Patent Lawn Scythes	"	2 00	"	3 50
Grass Plot Edging Knives, or Spades	"	1 50	"	2 50
Rifles and Scythe Stones	"	10	"	30
Pruning Chisels, with one or two hooks	"	75	"	1 00
Garden Spades and Shovels	"	1 25	"	1 75
Ladies' Weeding Forks	"	85	"	1 00
Spading, or Asparagus Forks	"	1 75	"	2 25
Manure and Hay Forks	"	75	"	1 50
Watering Pots (four sizes)	"	1 00	"	2 50
Patent Scythe Snaths	"	1 00	"	1 25
Pruning Knives, various sizes and patterns	"	75	"	2 50
Budding Knives, of all sizes and patterns	"	1 00	"	2 00
Asparagus Knives	"	75	"	1 25
Turnip and Carrot Hoes	"	50	"	1 00
Pruning Saw, with Chisel	"	2 00	"	2 25
Pruning Bills and Garden Spuds	"	50	"	2 00
Spring Grass, or Sheep Shears	"	1 50	"	2 00

Horticultural Books, &c.

American Weeds and Useful Plants	$1 75
Allen's American Farm Book (revised and enlarged)	2 50
Allen's Diseases of Domestic Animals	1 00
Barry's Fruit Garden	1 75
Bridgeman's Gardener's Assistant	2 50
Bridgeman's Kitchen Gardener's Instructor	75
Breck's New Book of Flowers	1 75
Buist's Family Kitchen Gardener	1 00
Buist's Flower Garden Directory	1 50
Burr's Vegetables of America	5 00
Canary Bird Fancier.....Paper 50—Cloth	75
Chorlton's Grape Grower's Guide	75
Draining for Profit and Health, by G. E. Waring, Jr	1 50
Downing's Fruits, &c., Second Revision, by Charles Downing	5 00
Downing's Landscape Gardening	6 50
Eastwood's Cranberry Culture	75
Elliott's Western Fruit Grower's Guide	1 50
Field's (Thomas W.) Pear Culture	1 25
Fuller's Small Fruit Culturist	1 50
Fuller's Grape Culturist	1 50
Flint (Charles L.) on Grasses	2 50
Flint's Milch Cows and Dairy Farming	2 50
Gardening for the South, by the late Wm. N. White	2 00
Henderson's Gardening for Profit	1 50
Henderson's Practical Floriculture	1 50
Johnston's Agricultural Chemistry	1 75
Mead's American Grape Culture and Wine Making	3 00
Our Farm of Four Acres.....Paper 30—Cloth	60
Olcott's Sorgho and Imphee Culture	1 25
Parsons on the Rose	1 50
Quimby's Mysteries of Bee-Keeping	1 50
Rand's Flowers for the Parlor and Garden	3 00
Rand's Bulbs	3 00
River's Miniature Fruit Garden	1 00
Stewart's (John) Stable Book	1 50
Saunder's Domestic Poultry.....Paper 40—Cloth	75
Thompson's Food of Animals	1 00
Thomas' American Fruit Culturist	3 00
Warder's Hedges and Evergreens	1 50
Woodward's Country Homes	1 50
Woodward's Graperies and Horticultural Buildings	1 50
Youatt and Martin on Cattle	1 50

PRICES OF SOME OF THE

Leading and Most Desirable Seeds,

By the POUND, BUSHEL, or BARREL.

BEANS.

	℔ bush.	$ cts
Early Mohawk		6 00
Early Valentine		6 00
Early China Dwarf		5 00
Early Yellow Six Weeks		6 00
Early Newington		6 00
Refugee, or 1000 to one		6 00
Black Wax (fine)		8 00
Turtle Soup (black)		6 00

BEET.

	℔ lb.	$ cts
Extra Early Bassano		1 50
Early Blood Turnip		1 00
Long Dark Blood		1 00
Long Smooth Blood		1 00
White French Sugar		60
Long Red Mangle		60
Yellow Globe Mangle		60

Cabbage.

	℔ lb	$ cts
Large Early York		1 50
Early York, or May		1 50
Large Early Ox Heart (true)		3 00
N. J. Early Wakefield		7 00
Early Winningstadt		3 00
Early Dutch Drumhead		3 00
Early Dwarf Savoy		3 00
Large Late Drumhead		8 00
Large Late Flat Dutch		3 00
Large Drumhead Savoy		3 00

CAULIFLOWER.

	℔ lb.	$ cts.
Extra Early Paris		20 00
Half Early Paris Nonpareil		22 00
Lenormands (extra large)		25 00
Large White French		12 00
Early London		8 00

Carrot.

	℔ lb.	$ cts
Extra Early Forcing		1 50
Early Orange, or Horn		1 50
Long Orange, or Red (fine)		1 00
Large Altringham		1 00
Long White Field		1 00
Long Yellow Field		1 00

CELERY.

	℔ lb.	$ cts
Early White Dwarf Solid		4 00
Early Red Dwarf Solid		4 00
Large White Solid		4 00
Turnip Rooted Celery		3 00

CRESS.

	℔ lb.	$ cts
Curled, or Pepper Grass		60
Broad Leaved		75

CORN.

	℔ bush.	$ cts
Early Sweet, or Sugar		6 00
Large Sweet, or Sugar		5 00
Stowell's Evergreen		6 00
Excelsior Mammoth Sugar		6 00
Sandford's White Field		4 00

CUCUMBER.

	℔ lb.	$ cts
Early Russian		2 00
Early White Spined		1 00
Early Green Cluster		1 00
Early Short Green		1 00
Improved Long Green		1 50

	℔ lb.	$ cts
Long White Spined		3 00
Long Green Turkey		3 00

CORN SALAD, or FETTICUS.

	℔ lb.	$ cts
Large Round Leaved		1 25
Round Leaved Large Seeded		1 25

EGG PLANT.

	℔ lb.	$ cts
Early Long Purple		4 00
Improved N. Y. Purple		7 00

ENDIVE.

	℔ lb.	$ cts
White Curled		3 00
Green Curled		3 00
Broad Leaved		3 00
Wild (for coffee)		75

Kale.

	℔ lb.	$ cts
Green Curled Siberian		1 25
Green Curled Scotch		1 50
Purple Curled German		1 50
Spring Sprouts (fine) per bus		7 00

KOHL RABI.

	℔ lb.	$ cts
Early White Vienna		4 00
Early Purple Vienna		4 00
Large White, or Green		3 00

LEEK.

	℔ lb.	$ cts
Large Flag, or Scotch		4 00
Giant Castle [extra large]		4 00

LUTTUCE.

	℔ lb.	$ cts
Simpson's Curled Silesia		5 00
Ice Drumhead		2 00
Early Tennisball, or Boston		4 00
Large Curled India		5 00
Large Butter Head		4 00
Perpignan Head		4 00
White Summer Cabbage		3 00
Hardy Green		4 00
Brown Dutch Cabbage		4 00

MUSK MELON.

	℔ lb.	$ cts
Early White Japan		3 00
Early Nutmeg		1 00
Jenny Lind		1 00
Green Citron		1 00
Allen's Superb Nutmeg		2 00
Large Persian		1 50

WATER MELON.

	℔ lb.	$ cts
Ice Cream		1 00
Black Spanish		1 50
Early Mountain Sprout		1 50

OKRA.

	℔ lb.	$ cts
Long Green		75
Improved Dwarf Green		75

Onion.

	℔ lb.	$ cts
Early Red		3 00
Wethersfield Large Red		3 00
Early White Portugal		4 00
Large Yellow Dutch		4 00
Yellow Danvers		4 00
Yellow Oval, or Globe		4 00

PARSLEY.

	℔ lb.	$ cts
Curled, or Double		1 25
Plain, or Single		75

PARSNIP.

	℔ lb.	$ cts
Long White, or Guernsey		75

PEAS.

	℔ bush.	$ cts
Carter's First Crop		9 00
Extra Early D. O'Rourke		6 00
Extra Early Kent		5 00
McLean's Little Gem		12 00
McLean's Advancer		9 00
Napoleon (fine)		9 00
Hair's Dwarf Marrow		10 00
Tom Thumb (American)		9 00
White Irish Marrowfat		4 00
Black Eyed Marrow		4 00
Blue Imperial		5 00
Champion of England		7 00
Eugenie, or Alliance		9 00

PEPPER.

	℔	lb.	$ cts
Large Squash, or Tomato			4 00
Sweet Spanish			5 00

Potatoes.

	℔	bbl.	$ cts
Early Rose		(about)	6 00
Early Mohawk		"	6 00
Early Goodrich		"	5 00
Early Dykeman		"	4 50
Early Sebec		"	5 00
Gleason		"	5 00
Harrison (Prolific)		"	5 00
White Peach Blow		"	5 00
Peerlees, or Bresees No. 6		"	9 00
Bresee's Prolific		"	6 00

Also other varieties.

PUMPKIN.

	℔	lb.	$ cts
Large Cheese			60
West India Mammoth			2 00

RADISH.

	℔	lb.	$ cts
Early Scarlet Turnip			1 00
Scarlet Olive Shaped			1 25
Long Scarlet Short Top			75
Golden Globe			1 25
Yellow Summer Turnip			1 25
Grey Summer Turnip			1 50
White Summer Turnip			1 25
Round Black Spanish			1 25
Scarlet Chinese Winter			2 00

SALSIFY.

	℔	lb.	$ cts
Vegetable Oyster			4 00

SPINACH.

	℔	lb.	$ cts
Round Leaved			60
Prickly Leaved			60
Large Flanders			60

SQUASH.

	℔	lb.	$ cts
Early White Bush			1 00
Early Striped Bush			1 00
Early Golden Bush			1 00
Summer Crookneck			1 00
Boston Marrow			1 50
Hubbard			2 00
Winter Crookneck			1 25

Tomato.

	℔	lb.	$ cts
Extra Early Red			3 00
Large Red Smooth (Cook's			3 00
Gen. Grant			4 00
Tilden's Seedling			3 00
Fejee Islands			4 00
Red Pear Shaped			4 00

TURNIP.

	℔	lb.	$ cts
White Dutch Strap Leaved			75
Red Top Strap Leaved			75
Yellow Stone			75
Robson's Golden Ball			75
Yellow Aberdeen			75
Long White French			75
Long White, or Cow Horn			60
Large White Norfolk			60
Imroved Ruta Baga			75
Purple Top Ruta Baga			75

SEEDS BY MAIL.

☞ *This Law does not apply to the Territories.*

The weight of packages which may be sent through the Mails to any part of the United States, at the following rates, is limited to Four Pounds.

Packages of 4 ounces or under, in weight	2 cents.
" over 4 ounces, and not over 8 ounces	4 "
" " 8 " " " " 12 "	6 "
" " 13 " " " " 16 "	8 "

COLLECTIONS

OF

FLOWER SEEDS.

THE great interest manifested in the cultivation of Flowers, and the increasing demand for new varieties, have induced us to give particular attention to this branch of business. In addition to the many kinds grown here, we import annually from England, France and Germany, all the novelties as they appear there; and no expense is spared to make the collection as select and varied as any to be found in this country.

Persons desiring us to make their selections, may rely upon our choosing those which are really most showy and desirable, and of easy cultivation.

		$ cts.
100	Packets of Annuals, Biennials, and Perennials, best assorted	8 00
100	" " " " good assorted	4 00
50	" " " " best assorted	4 00
50	" " " " good assorted	2 00
25	" " best assorted	2 00
20	" " good assorted	1 00
12	" " best assorted	1 00
10	" " good assorted	50
12	" " New and Favorite kinds	1 50
Choice	Collection of Greenhouse Plant Seeds	5 00
"	" Florists' Flowers	3 00
"	" Ornamental Grasses	1 00
"	" Climbing Plants	1 00
"	" Alpine, or Rock Plants	1 00
"	" Everlasting Flowers	1 00
"	" Hardy Herbaceous Plants	1 00
"	" Named Asters	1 00
"	" Camellia Balsams	1 00
"	" Dwarf and Paris Balsams	50
"	" Calliopsis (*Coreopsis*)	50
"	" Larkspurs (*Delphinium*)	75
"	" Pinks (*Dianthus*)	1 00
"	" Carnations and Picotees	1 00
"	" Iberis (*Candytuft*)	40
"	" Ipomœa Vines	75
"	" Flowering Peas (*Lathyrus*)	50
"	" Lupins (*Lupinus*)	50
"	" Ten Week Stocks (*Mathiola*)	50
"	" Biennial Stock Gilli	1 00
"	" Phlox Drummondii	1 00
"	" Portulaca (*Sun Plant*)	50
"	" French and African Marigold (*Tagetes*)	50
"	" Tropæolums (*Nasturtium*)	1 00
"	" Heart's Ease, or Pansy	1 00
"	" Zinnia Elegans (finest named)	1 00
"	" Including 300 Distinct Varieties	25 00

SUMMARY VIEW OF ESTIMATES.

1 ounce of Asparagus and Cardoon, will produce about 500 plants.
" Brocoli, Cabbage, Cauliflower, Egg-plant, Kale, Tomato, Leek and Pepper, will produce about..... 3,000 "
" Celery, Endive, and Lettuce, will produce about..... ...4,000 "

1 ounce of Okra and Beet,..... may be allowed for every 50 ft of drill.
" Spinach, Onion, Radish, and Salsify, " " " 100 "
" Carrot, Parsley, Parsnip, and Turnip, " " " 150 "
" Cucumber,.....is sufficient for..... 150 hills.
" Muskmelon,..... " " 75 to 100 "
" Watermelon,..... " " 40 to 60 "
" Pumpkin and Squash,..... " " 50 to 80 "

1 quart of Field Pumpkin,.....is sufficient for.....400 to 500 hills.
" Dwarf, or Bush Beans,... " " 100 ft. of drill or 250 "
" Pole Beans or Corn,..... " " 100 ft " " " 200 "
" Peas,.....may be allotted for each. 100 to 150 ft of drill.

SEEDS USUALLY PLANTED OR SOWN TO AN ACRE.

	Bushels per acre.		Pounds per acre.
Dwarf Beans	2	Beet	5
Blue Grass and Red Top	2	Carrot	2
Mixed Lawn Grass	3	Onion	6
Oats	3	Parsnip	5
Potatoes	12	Radish	7
Peas	1½	Spinach	10
Rye	2	Turnip	1½
Timothy	0½	Clover	6 to 10

NUMBER OF PLANTS AND TREES

That can be planted on an Acre of ground, at the following distances apart in feet:

Dist. Apart.	No. of Plants.	Dist. Apart.	No. of Plants.
1 by 1	43,560	5 " 5	1,742
1½ " 1½	19,360	6 " 6	1,210
2 " 1	21,780	8 " 8	680
2 " 2	10,890	12 " 12	302
2½ " 2½	6,970	16 " 16	170
3 " 1	14,520	20 " 20	110
3 " 2	7,260	25 " 25	70
3 " 3	4,840	30 " 30	40
4 " 4	2,722	40 " 40	27